

LED Slim Flush Mount Panel

CIP-YG010



Feature- 01:Advantage of Flush Mount Panel

- 1. Model No.: YG010-R-3C Color: 3CCT:3000K-4000K-5000K (All 3 in 1)
- 2. Watt: 18/24/30W; AC120V 50/60Hz
- 3. Lumen: 2000/3000/4000LM High brightness, SMD2835
- 4. 10%-100% Triac dimmable, no flickering
- 5. CRI:Ra>80
- 6. Energy-Saving & Super Bright saving 75% energy
- 7. Compatible for North America's installation regulation requirement.
- 8. ETL /CETL Certificated, 5 years warranty.

Notice:

- 1. Cutting off the electricity before installation.
- 2. Installation can only be done by qualified electrician.
- 3. Input voltage is AC120V 50/60Hz. Please kindly confirm the voltage before installation.
- 4. If the down lights can't work normally, please contact our customer service.
- 5. It will be out of warranty if damage is caused by personal mistake.

Feature - 01: Specification:

Model No.	Size	Wattage	Voltage	Beam Angle	Color Temperature	Dimmable	Certificate
CIP-YG010G-18-R-3C	9"	18W	AC120V	180D	3CCT	YES	ETL/cETL
CIP-YG010H-24-R-3C	12"	24W	AC120V	180D	3CCT	YES	ETL/cETL
CIP-YG010K-32-R-3C	15"	32W	AC120V	180D	3CCT	YES	ETL/cETL

CIP Lighting 803-766-0243 info@ciplighting.com www.ciplighting.com gy



Feature - 02: 3CCT Color Changeable





Different 3 color temperature modes in same space application








Warm white Neutral white Cool white




Feature - 03: Low Profile Flush Mount Panel





Simple Look GOOD Look

Focus On EASY Design





Feature - 04: Dimmable

Brand	Model	Image	Match	Brand	Model	Image	Match	
LUTRON	MACL-153MR-WH		5 *	Leviton	6672-1LW	8	5★	
LUTRON	SCL-153P-WH		5*	Leviton	DSL06-1LZ		3★	
LUTRON	PD-6WCL-WH		5 *	Leviton	6674-P0W	T	3★	
LUTRON	CTCL-153P-WH	[III]	5*	Leviton	IPL06-10Z	a	3★	
LUTRON	MSCL-OP153M-WH		4*					
LUTRON	DVCL-153P-WH		3*					
LUTRON	DVW-603PGH-WH		2*	100% - 10% Smooth triac dimming, compatible with most LED dimmers in North America market.				



Feature - 05: Inner Structures





Feature - 06: Easy Installation







