

CIP-22630

LED Spotlight - Canless Regressed Mini Panel

CCT Selectable 3", 4", 5", 6"



CIP

LIGHTING



3"



4"



5"



6"



CRI
80

COLOR SELECTABLE

2700K 3000K 3500K 4000K 5000K

DIMMABLE

TRIAC

HIGH
OUTPUT

IC
RATED

WET
LOCATION
RATED

5
YEAR
WARRANTY

COMPATIBLE
WITH:

EM35126

Emergency
LED Driver



COMPATIBLE WITH:
3" - CIP-22630, 22638
4" - CIP-22632, 22640

EM35124


Emergency
LED Driver



COMPATIBLE WITH:
5" - CIP-22634, 22642
6" - CIP-22636, 22644

41002

New Construction
Mounting Plate




ELECTRICAL

		MODEL	DESCRIPTION	POWER	INPUT VOLTS	EFFICACY	LIFETIME	COST/YR
ROUND	3"	CIP-22630	LED RMP3/HO/5 CCT/RD/WT/D	10	120V	80	50,000	\$ 1.20
	4"	CIP-22632	LED RMP4/HO/5 CCT/RD/WT/D	15	120V	87	50,000	\$ 1.80
	5"	CIP-22634	LED RMP5/HO/5 CCT/RD/WT/D	18	120V	89	50,000	\$ 2.16
	6"	CIP-22636	LED RMP6/HO/5 CCT/RD/WT/D	18	120V	100	50,000	\$ 2.16
SQUARE	3"	CIP-22638	LED RMP3/HO/5 CCT/SQ/WT/D	10	120V	80	50,000	\$ 1.20
	4"	CIP-22640	LED RMP4/HO/5 CCT/SQ/WT/D	15	120V	87	50,000	\$ 1.80
	5"	CIP-22642	LED RMP5/HO/5 CCT/SQ/WT/D	18	120V	89	50,000	\$ 2.16
	6"	CIP-22644	LED RMP6/HO/5 CCT/SQ/WT/D	18	120V	100	50,000	\$ 2.16



PHOTOMETRIC

MODEL	DESCRIPTION	COLOR (CCT)	TEMP	LUMEN	CRI	ETL	ENERGY STAR
CIP-22630	LED RMP3/HO/5 CCT/RD/WT/D	2700K/3000K /3500K/4000K/5000K	CCT SELECT	800	80	YES	YES
CIP-22632	LED RMP4/HO/5 CCT/RD/WT/D	2700K/3000K /3500K/4000K/5000K	CCT SELECT	1300	80	YES	YES
CIP-22634	LED RMP5/HO/5 CCT/RD/WT/D	2700K/3000K /3500K/4000K/5000K	CCT SELECT	1600	80	YES	YES
CIP-22636	LED RMP6/HO/5 CCT/RD/WT/D	2700K/3000K /3500K/4000K/5000K	CCT SELECT	1800	80	YES	YES
CIP-22638	LED RMP3/HO/5 CCT/SQ/WT/D	2700K/3000K /3500K/4000K/5000K	CCT SELECT	800	80	YES	YES
CIP-22640	LED RMP4/HO/5 CCT/SQ/WT/D	2700K/3000K /3500K/4000K/5000K	CCT SELECT	1300	80	YES	YES
CIP-22642	LED RMP5/HO/5 CCT/SQ/WT/D	2700K/3000K /3500K/4000K/5000K	CCT SELECT	1600	80	YES	YES
CIP-22644	LED RMP6/HO/5 CCT/SQ/WT/D	2700K/3000K /3500K/4000K/5000K	CCT SELECT	1800	80	YES	YES



DIMENSIONS



4"



5"



6"

