23.2mm(0.90°) 12.2mm(0.47°) 17.1mm(0.66°)



End cap with hole End cap without hole



PMMA opal matte cover PMMA semi-clear cover PMMA clear cover PC diffused cover





Step 04

Step 01



Step 02



Step 03





End cap with hole End cap without hole



Mounting clip(PC)



90 degrees connector




Adjustable bracket



Mounting clip(metal)



180 degrees connector







PMMA opal matte cover PMMA semi-clear cover PMMA clear cover 60 degrees



Mounting clip(PC)



90 degrees connector



End cap with hole End cap without hole




Mounting clip(metal)




180 degrees connector








PMMA opal matte cover PMMA semi-clear cover PMMA clear cover 30 degrees



Mounting clip(metal)



90 degrees connector






Mounting clip(PC)



180 degrees connector

ALP003-R



23.2mm(0.90")



- PMMA opal matte coverPMMA semi-clear cover
- PMMA clear cover
- PC diffused cover



End cap with hole End cap without hole











End cap with hole End cap without hole



180 degrees connector



Mounting clip(PC)



90 degrees connector



Mounting clip(metal)















ALP005 PMMA opal matte coverPMMA semi-clear coverPC diffused cover



End cap with hole End cap without hole



Mounting clip(PC)



Mounting clip(metal)



Step 01





Step 04

Common Series





End cap with hole End cap without hole



Mounting clip(metal)



Mounting clip(PC)







Step 02

ALP007-R





End cap with hole End cap without hole

18.4mm(0.71")



Mounting clip(metal)



Mounting clip(PC)











Common Series





End cap with hole End cap without hole



Mounting clip(metal)



Steel wire











Step 02



Step 03

Step 06



PMMA opal matte cover 16.9mm(0.66°) 19.7mm(0.76°) • PMMA opal matte cover • PMMA semi-clear cover • PC diffused cover



End cap with hole End cap without hole







ep 01





Step 05

Step 02



Step 03 Step 06


Common Series






Common Series

ALP013-R





- PMMA opal matte cover
 PMMA semi-clear cover
 PMMA clear cover
 PC diffused cover



End cap with hole End cap without hole



Spring clip





End cap with hole End cap without hole



Mounting clip(PC)



Mounting clip(metal)



Adjustable bracket



30.5mm(1.18") PMMA opal matte coverPMMA semi-clear cover 20mm(0.76") 23.5mm(0.91") PMMA clear cover PC diffused cover

ALP013



End cap with hole End cap without hole

ALP014



End cap with hole End cap without hole




Adjustable bracket



Mounting clip(PC)




Mounting clip(metal)



- PMMA clear cover
- PC diffused cover

Common Series







- PMMA opal matte coverPMMA semi-clear cover



End cap with hole End cap without hole



Mounting clip(metal)

20mm(0.76")

23.5mm(0.91")







Mounting clip(metal)



90 degrees inside connector



157 degrees outside connector



90 degrees joining connector



180 degrees joining connector




Step 04



Step 02




Step 03










ALP024









- PMMA opal matte coverPMMA semi-clear coverPC diffused cover




End cap with hole End cap without hole












- PMMA opal matte coverPMMA semi-clear coverPC diffused cover








Blind PVC cover





Step 02



ALP025



End cap with hole End cap without hole



Mounting clip(metal)



Rigid LED light bar

ALP027








Steel wire



Metal clip



Common Series







ALP029





Steel wire



Metal clip

ALP026



End cap with hole End cap without hole




Mounting clip(metal)



Rigid LED light bar





PC diffused cover




11.7mm(0.45")

8.5mm(0.33")

11mm(0.43")

ALP028





- PMMA opal matte coverPMMA semi-clear coverPC diffused cover



End cap with hole End cap without hole



Steel wire



Metal clip








Step 04






Step 02

Step 05



Common Series



ALP031







Spring clip

ALP032



End cap without hole



Steel wire



Mounting clip(metal)



- 18.6mm(0.72")
- PMMA opal matte coverPMMA semi-clear cover
- PMMA clear cover
- PC diffused cover

ALP033 End cap with hole End cap without hole 27.06mm(1.05') • PC diffused cover

ALP034 End cap with hole End cap without hole Step 01 Step 02 Step 03







End cap with hole End cap without hole



Mounting clip(metal)



ALP073



PC frosted cover




End cap with hole End cap without hole



Mounting clip(metal)

Common Series



ALP096



End cap with hole End cap without hole





3M tape 5mm wide

ALP097



End cap with hole End cap without hole





5.5mm(0.21") PC frosted cover

ALP116



End cap with hole End cap without hole



Mounting clip(metal)

ALP117



End cap with hole End cap without hole

Common Series

Step 01A

Step 02A

ALP116

Installation methods


























ALP117

Installation methods







Step 05









5.5mm(0.21")


7.8mm(0.30")

PC frosted cover

Common Series

ALP100






- PMMA opal matte coverPMMA semi-clear coverPC diffused cover



End cap with hole End cap without hole





3M tape 10mm wide





- PMMA opal matte coverPMMA semi-clear coverPC diffused cover











ALP099






End cap with hole End cap without hole



Spring clip



Step 01B



Step 03B



Step 05B





Step 04B







13mm(0.51")

Aluminum profile

PMMA opal matte cover PMMA semi clear cover

1019

ALP039












ALP043



End cap with hole End cap without hole



Mounting clip(metal)





- PMMA opal matte coverPMMA semi-clear cover
- PMMA clear cover
- PC diffused cover


ALP044



End cap with hole End cap without hole



Mounting clip(metal)










- PMMA opal matte cover PMMA semi-clear cover
- PMMA clear cover
- PC diffused cover

Common Series







PC diffused cover



End cap with hole End cap without hole



90 degrees joining connector



180 degrees joining connector



Mounting clip(metal)




90 degrees connector



Straight connector

ALP045 End cap with hole End cap without hole Mounting clip



ALP046




End cap without hole

Steel wire



Common Series



ALP047



End cap with hole End cap without hole



Mounting clip



ALP048




End cap without hole



Mounting clip









PC diffused cover

50mm(1.94")





PC diffused cover

Common Series







End cap without hole



Mounting clip(metal)





ALP050



End cap with hole End cap without hole



Mounting clip(metal)

ALP062



Aluminum profile



Mounting Profile




End cap without hole




Common Series

ALP017-R5







Aluminium End Cap without hole

- PMMA opal matte coverPMMA semi-clear coverPC diffused cover

Connector T








Spring clip



Connector L



Connector IL
















Connector L








Connector T



Connector X




Common Series


ALP045-R















Aluminium End Cap without hole



Connector T



90 degrees

ALP046-R



Aluminium End Cap without hole



Connector T



Connector X





Connector L



180 degrees connector



Stainless Clip





Connector IL



Connector IL



inside 90 degrees connector




Connector X

Stainless Clip

Common Series

ALP047-R1







Aluminium End Cap without hole



Stainless Clip




Connector T













PC diffused cover



Aluminium End Cap without hole





Connector L

Connector T



Connector X

ALP048-R1




Connector IL





steel wire

ALP6535 Aluminium End Cap without hole Stainless Clip Connector L 2835LED 28W/1.2M Connector IL 50mm(1.94") PC frosted cover



PC frosted cover






Common Series

ALP3030







End cap without hole



90 degrees connector



Inside 90 degrees connector



Step 01

Steel wire



180 degrees connector






Step 04

ALP6060-R







PC frosted cover



End cap without hole



Steel wire

ALP3880



End cap without hole



Steel wire



38.1mm(1.48") 34.5mm(1.38")

PC frosted cover

ALP051



End caps






Steel wire

Common Series

Common Series





End cap without hole



90 degrees connector




180 degrees connector

ALP052



Steel wire





- PMMA opal matte coverPMMA semi-clear cover
- PC diffused cover

ALP053-R



End cap without hole



Outside clip





Steel wire

24.1mm(0.93") PC diffused coverPC frosted cover

35mm(1.36")

ALP054-R1



End caps without hole




Outside clip



Steel wire

Common Series



ALP056



End cap without hole



Steel wire


ALP056-D




End cap without hole




Steel wire





ALP057








End cap without hole



Steel wire



Common Series



ALP065



End cap without hole





Metal clip



Steel wire





45mm(1.74")

PC diffused cover

PMMA opal matte coverPMMA semi-clear coverPC diffused cover

ALP065-T



End cap without hole



Metal clip



Steel wire

ALP066



End cap without hole



Steel wire





Metal clip



Aluminium end cap without hole Stainless clip Connector L Steel wire LED Module:2835LED 28W/1.2M Connector IL

PC frosted cover

38.1mm(1.48°) 18.5mm 18.5mm 12.7.5mm(1.07)

PC frosted cover

38.1mm(1.48")

27.5mm(1.07")

ALP3875-D



Aluminium end cap without hole



Stainless Clip




Steel wire



LED Module:2835LED 28W/1.2M

Common Series







LED Module:2835LED 28W/1.2M



Aluminium end cap without hole




Stainless Clip



Internal Clip



Steel wire



بأسسار

PC frosted cover

59

ALP7575-R




































Connector X







Connector IL

PC frosted cover

ALP7575-RD





Stainless Clip



Internal Clip



Steel wire



LED Module:2835LED 42W/1.2M


PC frosted cover

Common Series


ALP7575-R


Installation methods

Pendent












Step 03A









Surface



Step 01B



Step 02B



Step 03B

Step 01B



يُمِن مسم نامِرُّةِ

Step 03A

Driver

Step 02B


Step 03B


18.5mm (0.72") 18.5mm (0.72") 18.5mm (0.72")

75mm(2.91")

Common Series

ALP10075-R







PC frosted cover



Aluminium end cap without hole



Internal clip





Stainless clip





Trimless recessed clip





Connector L



LED Module:2835LED 54W/1.2M



Connector X




Connector T



Connector IL





PC frosted cover

ALP5090



End caps



Internal clip



Outside clip





Steel wire



LED Module:2835LED 28W/1.2M

ALP6090



End caps



Internal clip




Outside clip



Steel wire



LED Module:2835LED 28W/1.2M




PC frosted cover

Common Series

ALP5090

Installation methods



Step 01: Fix the rigid led module



Step 05: Press the diffuser inside



Step 02: Fix the internal clip and driver




Step 06: Install the end caps




Step 03: Fix the rigid led module(upwards)



Step 07: Fix external clip




Step 04: Install the safety wire and push the gear tray inside




Step 08: installation completed

Aluminium profile PC frosted cover Stainless clip PC frosted cover Aluminium end cap LED Module:2835LED 42W/1.2M LED Module:2835LED 28W/1.2M

PC frosted cover





PC frosted cover

ALP60108



End caps



Internal clip



Outside clip



Steel wire




LED Module:2835LED 28W/1.2M

ALP6875







Stainless Clip



Connector T





Connector L



Connector X





Connector IL

ALP6875-RD



Aluminium end cap





Internal Clip



LED Module:2835LED 28W/1.2M


Common Series

95mm(3.68")

75mm(2.91")

18.5mm (0.72")

95mm(3.68")





ALP9575-R



LED Module:2835LED 42W/1.2M







Connector T

Internal Clip











Connector IL



Stainless Clip

PC frosted cover

ALP9575-RD



Aluminum end cap



Stainless Clip



Internal Clip



LED Module:2835LED 42W/1.2M



PC frosted cover



50mm(1.94")

18.5mm (0.72") 27.4mm(1.06")

68mm(2.64")

50mm(1.94")

27.4mm (1.06")

PC frosted cover

PC frosted cover


Common Series


ALP6875

Installation methods

Step 06: Install external clip and the driver












Step 02: Install the recessed frame

Step 01: Install the end caps



Step 07: Push the gear tray inside the profile



Aluminium End Cap without hole



Connector T



Connector X

Connector IL



Step 03: Put the whole profile inside the ceiling slot






Internal Clip

Stainless Clip




Step 04: Fix the profile



Step 08: Press the diffuser inside








Step 09: Installation completed

ALP059-R










Spring Clip







Step 05: Fix end caps



Step 02: Push the diffuser

Step 03: Slide the spring clip

Step 04: Fix spring clip




Step 06: Recessed the



Step 07: Installation







Aluminium End Cap without hole

Stainless Clip

101.4mm(3.93")

123mm(4.77")



Connector T

Connector L


PC frosted cover



Connector X




Connector IL




Common Series

ALP8585















Outside clip



Ш

Aluminium end cap



Safety wire



Internal clip

Step 01A:



Steel wire



Step 03A:



Step 05A: Fix the steel wire



Step 02A: Fix the gear tray

Fix the internal clips



Step 04A: Fix the external clip

Install the end caps



Step 06A: Installation completed



Step 01B: Install the end caps



Step 03B: Fix the internal clips and the driver



Step 05B: Installation completed




Step 02B: Fix the whole



Step 04B: Fix the gear tray and the safty wire

ALP5057-C








Aluminium end cap without hole



Steel wire




Stainless clip



Common Series

ALP6545-C







End cap without hole




Stainless clip




LED Module:2835LED 28W/1.2M











Lens: 30/60dgrees, asymmetrical or symmetrical



Internal clip



LED Module:2835LED 42W/1.2M

ALP7575-RL



End caps



Outside clip



Steel wire







Step 03 Step 04


Step 05






Step 07

ALP100-WR







PMMA semi-clear cover



End caps



Internal clip



safety wire

Step 07:




Stainless clip



Step 01: Install the recessed frame

Step 02:







Step 05: Stick led strip



Step 08: Push the gear tray inside, with safty wire



Step 03: Push the whole profile inside the ceiling


Fix the end caps




Step 06: Install diffuser



Step 09: Installation completed












Aluminium end cap without hole



Aluminium cover for driver



Steel wire



ALP109



End caps





90 degrees connetor



120 degrees connetor




PC diffused cover

PC diffused cover

180 degrees connetor

25.4mm(0.98")

20.1mm(0.78")



ALP106



End caps



Clip



Steel wire




90 degrees connetor



180 degrees connetor

Common Series



13.2mm(0.51")

35mm(1.36")

ALP104



End caps





Steel wire

PC diffused cover

ALP105



End caps



Spring clip



PC diffused cover

ALP107





Hanging clip





Steel wire

25.4mm(0.98")

17.4mm(0.67")

16.1mm(0.62")

25.4mm(0.98")

17.4mm(0.67")

16.1mm(0.62")



PC diffused cover

PC diffused cover

ALP108



End caps





Hanging clip



Steel wire

ALP114








Common Series





Common Series






- PMMA opal matte coverPMMA semi-clear coverPMMA clear coverPC diffused cover



End caps





Step 02: Push the diffuser inside




Step 04: Slide the cover plates




Step 06: Installation completed

Fix the Aluminium profile

Step 05:





PC frosted cover

Common Series

T100

Installation methods



Step 01: Install the diffuser



Step 03: Fasten the base of the steel wire



Step 05: Fix the steel wire



Step 02: Fix the external clip




Step 04: Install the end cap



Step 06: Installation completed









Die cast end caps



Inside clip



Outside clip



Steel wire



Safety wire

Common Series

25.1mm (0.97") 4

18.5mm (0.72") 26.5mm(1.03")

ALP38115







Step 01A:

Fix the led module

on the gear tray



diffuser inside



Step 10A: Fix the cover plate for the clip

ALP38115

Installation methods



Step 03A: Install the end caps



Step 07A: Press the

Step 06A:

Fix the gear tray and

the safety wire



Step 11A: Insert the cover plate



PC frosted cover



Step 04A: Fix the led module upwards



Step 08A: Fasten the base of the steel wire



Step 12A: Fix the steel wire



Die cast end caps



Wall clip



Inside clip





Step 05A: Fix the internal clips and the driver



Step 09A: Press the diffuser inside



Step 13A: Installation completed



Hanging bracket



Steel wire



Safety wire





Step 01B: Fix the wall clip Part A on the surface of the Aluminum profile



Step 05B: Fix the internal clip and driver



Step 09B: Adjust the whole fixture into suitable position



Step 02B: Fix the rigid led module



Step 06B: Install the safety wire and push the gear tray inside




Step 10B: Fix the wall clip together



Step 03B: Install the end caps



Step 07B: Press the diffuser inside







Step 11B: Installation completed



Step 04B: Fix the led module




Step 08B: Fix the wall clip Part B on the surface of the wall

Common Series

ALP5075-R1

Installation methods







Outside clip



Step 01A: Install end caps

Fix the rigid led module

Fix the internal clip and driver

Step 02A:

Step 03A:



Step 04A: Install the safety wire and push the gear tray inside



Step 07A: Step 07A: Install external clip



Step 08A: Install the steel wire



Step 09A:



Step 06A: Insert the cover plate

Step 05A:



Installation completed



Step 01B:

Step 03B:



Step 04B:



Step 06B: Press the diffuser inside



Step 07B: Insert the cover plate



Step 08B: Installation completed



Step 02B: Fix the Aluminum profile

Fix the rigid led module

on heatsink board



Step 05B: Install the safety wire and push the gear tray inside





Step 01C: Fix the wall clip Part A on the surface of the Aluminum profile



Step 05C: Install the safety wire and push the gear tray inside



Step 09C: Fix the whole fixture





Install the end caps

Fix the rigid led module

Step 02C:

Step 03C:

Step 04C:



Step 06C: Press the diffuser inside

Insert the cover plate

Step 07C:



Step 10C: Fix the wall clip together



Fix the internal clip and driver



Step 08C: Fix the wall clip Part B on the surface of the wall



Step 11C: Installation completed



Step 01D: Install trimless recessed frame



Step 04D: Fix the rigid led module



Press the diffuser inside



Step 02D:

Push the profile inside

the ceiling slot




Step 05D: Fix the internal clip and driver



Step 07D:



Step 08D: Insert the cover plate



Step 06D: Install the safety wire and



Step 09D: Installation completed



Inside clip

Safety wire

Die cast end caps



Step 03D: Fix the profile by rotating the long screw




push the gear tray inside

Wall mounting

ALP50120

Installation methods

ALP50120





PC frosted cover



Wall clip





Safety wire





Hanging bracket



Internal clip





Step 01: Fix the led module on the gear tray



Pendent mounting

Step 02: Install the hanging U shape clip



Step 03: Install the end caps



Step 04: Fix the led module upwards



Step 05: Fix the internal clips and the driver



Step 06: Fix the gear tray and the safty wire



Step 07: Press the diffuser inside



Step 08: Insert the cover plate on both ends



Step 09: Fasten the base of the



Step 10: Press the diffuser inside



Step 11: Slide the hanging clip inside



Step 12:




Fix the steel wire



Step 06: Insert the cover plate




Step 02: Install the end caps




Step 07: Fix the wall clip Part B on the surface of the wall



Step 03: Fix the rigid led module



Step 08: Adjust the whole fixture into suitable position



Step 04: Intall the safety wire and push the gear tray inside





Step 09: Fix the wall clip together


ALP6380

Common Series

ALP63120









Die cast end caps






Inside clip


Safety wire



Outside clip









PC frosted cover



Die cast end caps







Wall clip



Inside clip




Safety wire



Common Series









Die cast end caps



Inside clip




Outside clip



Steel wire




Safety wire





ALP7578

Installation methods

Surface mounting












Step 05






Step 07

Pendent mounting







Step 03










Step 05



Step 06







Step 07





ALP75120







PC frosted cover



Die cast end caps



Wall clip



Hanging bracket



Inside clip





steel wire



Safety wire

ALP10078







PC frosted cover







Inside clip



Outside clip



Steel wire





Safety wire



Common Series

ALP100120







PC frosted cover




Die cast end caps



Inside clip



Wall clip




Steel wire






Safety wire



ALP12083





PC frosted cover





Safety wire





Steel wire



Fix led rigid module

Step 02: Fix the internal clips

and the driver

Step 01:



Press the diffuser inside



Step 07: Fix the whole profile on the ceiling



Step 08: Install the plasterboard



Step 05: Install the end caps



Step 09: Paint the plaster



Step 03: Fix the gear tray and the safty wire



Step 06: Install the recessed frame




Step 10: Paint lacquer(overcoating)

ALP081-R

Installation methods


Step 04: Stick led strip



Step 01: Fix the profile on plasterboard



Step 02: Painting the Plaster




Step 03: Paint lacquer(overcoating)




Step 05: Install diffuser

ALP082


Installation methods




Step 01: Stick led strip




Step 04: Paint lacquer(overcoating)



Step 02: Fix the profile on plasterboard




Step 03: Painting the Plaster




Step 05: Install diffuser

Drywall Series








Drywall Series ALP087 End caps 33mm(1.28") 13mm(0.50") 13mm(0.50") PC diffused cover ALP088 End caps 56.3mm(2.18") PC diffused cover **ALP089** 39.4mm(1.53") PC diffused cover 115

Drywall Series

ALP088

Installation methods




Step 03: Stick the the tile

ALP089


Step 04: Stick led strip


Step 05: Install diffuser

Installation methods



Step 03: Stick the the tile







End caps





Clip2

Drywall Series



Step 01: Stick led strip




Step 05: Fix the whole profile



Step 02: Push the diffuser inside



Step 06: Install the ceiling plasterboard





Step 03: Fix the frame on profile



Step 07: Paint the plaster






Step 08: Paint lacquer (overcoating)

Step 06















Step 08









Step 09

ALP090































































































Drywall Series

ALP111-S








PC diffused cover

















ALP118















22.8mm(0.88")




Drywall Series

ALP3030-R


Installation methods
















70mm(2.71")

PC frosted cover

PC frosted cover





End caps

