


Nania Recessed Lights



Mini

- 22k NAA-02500
- 27k NAA-02501
- 30k NAA-02502
- 35k NAA-02503




Product Information

Trim Finish	White	mA	37mA
Output lumens	100	Dimmable	Down to 5%
Beam angle	36°	Cut out	0.69"
Volts	24V	OD	0.79"
Wattage	1W	Depth	1.03"
CRI	90>	Packed	20/100

	NAA-02500	NAA-02501	NAA-02502	NAA-02503
Color temp	2200k	2700k	3000k	3500k

- 22k NAA-02510
- 27k NAA-02511
- 30k NAA-02512
- 35k NAA-02513




Product Information

Trim Finish	Black	mA	37mA
Output lumens	100	Dimmable	Down to 5%
Beam angle	36°	Cut out	0.69"
Volts	24V	OD	0.79"
Wattage	1W	Depth	1.03"
CRI	90>	Packed	20/100

	NAA-02510	NAA-02511	NAA-02512	NAA-02513
Color temp	2200k	2700k	3000k	3500k

- 22k NAA-02540
- 27k NAA-02541
- 30k NAA-02542
- 35k NAA-02543




Product Information

Trim Finish	Brushed Brass	mA	37mA
Output lumens	100	Dimmable	Down to 5%
Beam angle	36°	Cut out	0.69"
Volts	24V	OD	0.79"
Wattage	1W	Depth	1.03"
CRI	90>	Packed	20/100

	NAA-02540	NAA-02541	NAA-02542	NAA-02543
Color temp	2200k	2700k	3000k	3500k

1"


- 22k NAA-00100 ○ 27k NAA-00101
- 30k NAA-00102 ○ 35k NAA-00103



Product Information

Trim Finish	White	mA	80mA
Output lumens	175	Dimmable	Down to 5%
Beam angle	36°	Cut out	0.98"
Volts	24V	OD	1.26"
Wattage	2W	Depth	0.91"
CRI	90>	Packed	20/100
	NAA-00100	NAA-00101	NAA-00102
Color temp	2200k	2700k	3000k


- 22k NAA-00110 ○ 27k NAA-00111
- 30k NAA-00112 ○ 35k NAA-00113



Product Information

Trim Finish	Black	mA	80mA
Output lumens	175	Dimmable	Down to 5%
Beam angle	36°	Cut out	0.98"
Volts	24V	OD	1.26"
Wattage	2W	Depth	0.91"
CRI	90>	Packed	20/100
	NAA-00110	NAA-00111	NAA-00112
Color temp	2200k	2700k	3000k

- 22k NAA-00140 ○ 27k NAA-00141
- 30k NAA-00142 ○ 35k NAA-00143



Product Information

Trim Finish	Brushed Brass	mA	80mA
Output lumens	175	Dimmable	Down to 5%
Beam angle	36°	Cut out	0.98"
Volts	24V	OD	1.26"
Wattage	2W	Depth	0.91"
CRI	90>	Packed	20/100
	NAA-00140	NAA-00141	NAA-00142
Color temp	2200k	2700k	3000k

Recommended 24V Drivers

Electronic 24V Drivers


	30W	97620
	60W	97621
	96W	97525
	100W	97622

Mini 24V Electronic Drivers

	40W	97600
	60W	97601
	75W	97602
	96W	97603

Dimensions

Mini



1"

