

LED Sports Light FL-07-G19



Better solutions for LED Sports Light



IP66 water-proof

AC120-277V 50/60Hz

Easy Installation

160Lm/W

Operating Temp.: -40°C ~ +50°C

Storage Temp.: -40°C ~ +80°C



Options

Driver	CCT	Beam Angle
Lifud Driver	3000K	100°60°
	4000K	90°
	5000K	60°
	5700K	30°
		20°


Application

Sports Lighting, Stadium lighting, Sports fields, Car parks, High mast installations Dock, railway and container yards, Ports and other large scale outdoor applications, Architectural lighting, Landscape lighting, Industrial and commercial exterior lighting Decorative lighting for holidays, trade shows, exhibitions.

Specifications

Item	Power	Leds	CRI	Weight	Beam Angle	
FL240W-07-G19	240W	160Lm/W	SMD 5050	>70	3.9kg(8.60lbs)	100°60°/90°/60°/30°/20°
FL320W-07-G19	320W	160Lm/W	SMD 5050	>70	5.5kg(12.1lbs)	100°60°/90°/60°/30°/20°


Photometry




FL-07-G19 LED Sports Light



Dimensions(mm)



240W



320W

Model Options



240W



320W



P1



P2

FL-07-G19 LED Sports Light



Installation and use

P1 Yoke

1a

Power	D1	D2
240W	90mm	8mm
320W	90mm	8mm

2a

M8*2PCS (Optional)

3a

4a

Brown/Black -- L
Blue/White --- N
G/Y --- GND

1b

Power	D1	D2
240W	90mm	8mm
320W	90mm	8mm

2b

M8*2PCS (Optional)

3b

4b

Brown/Black -- L
Blue/White --- N
G/Y --- GND

P2 Slip Fitter

1

Power	D1
240W	63mm
320W	63mm

2

Brown/Black -- L
Blue/White --- N
G/Y --- GND

3

4

Lighting cover Installation

1

2

3

4

Packing Spec

Item	Measurement(mm)	Box		Carton		
		Gross weight	Pcs/box	Measurement(mm)	Gross weight	Pcs/box
FL240W-07-G19	L380*W275*H190	6.00kg(13.2lbs)	1	/	/	/
FL320W-07-G19	L705*W275*H190	7.50kg(16.5lbs)	1	/	/	/

V24-III