




MODEL: NILA13-14
MATERIAL: Marine Grade Solid Brass
FINISH SHOWN: Satin Brass
ELECTRICAL: 8-15V, 12V-15V
ENGINE: FB-2W-CYL-TA16
LUMENS: 200
COLOR TEMP: 2700K
MOUNTING: Submersible



WATTAGE LUMENS

☐ 2W	200
☐ 3W	300
☐ 6W	400

COLOR TEMPERATURE

☐ 2200K	☐ 5000K
☐ 2700K	☐ 6500K
☐ 3000K	☐ RGBW
☐ 4000K	

ELECTRICAL

☐ 8-15V	☐ 12V-15V
--------------------------------	----------------------------------

OPTICS

☐ SPOT	19d
☐ FLOOD	38d
☐ WIDE FLOOD	54d
☐ WIDE ANGLE FLOOD	120d



Wet Listed



Ordering Example

NILA13-14-SB-2W-27K-8-15V

Customer Approval

Date



MODEL: NILA13-14S
MATERIAL: Marine Grade Solid Brass
FINISH SHOWN: Satin Brass
ELECTRICAL: 8-15V, 12V-15V
ENGINE: FB-2W-CYL-TA16
LUMENS: 200
COLOR TEMP: 2700K
MOUNTING: Submersible

FINISHES

- ☐ Matte Bronze (MBR)
- ☐ Verde (V)
- ☐ Moss (M)
- ☐ Black (B)
- ☐ Rusty (R)
- ☐ Satin Brass (SB)
- ☐ Aged Brass (AG)
- ☐ Raw Copper (RC)
- ☐ Natural Copper (NC)

PVD PREMIUM

- ☐ PVD Polished (PVDP)
- ☐ PVD Satin (PVDS)
- ☐ PVD Graphite (PVDG)
- ☐ PVD Bronze (PVDBZ)
- ☐ PVD Black (PVDBL)

WATTAGE

LUMENS

- | | |
|------------------------------------|-----|
| ☐ 2W | 200 |
| ☐ 3W | 300 |
| ☐ Versa-Lux | 400 |
| ☐ Versa-Lux | 700 |

COLOR TEMPERATURE


- | | |
|--------------------------------|-------------------------------------|
| ☐ 2200K | ☐ 5000K |
| ☐ 2700K | ☐ 6500K |
| ☐ 3000K | ☐ RGBW |
| ☐ 4000K | ☐ AMBER (TF) |

ELECTRICAL

- | | |
|--------------------------------|----------------------------------|
| ☐ 8-15V | ☐ 12V-15V |
|--------------------------------|----------------------------------|

OPTICS

- | | |
|---|------|
| ☐ SPOT | 19d |
| ☐ FLOOD | 38d |
| ☐ WIDE FLOOD | 54d |
| ☐ WIDE ANGLE FLOOD | 120d |



Wet Listed



Ordering Example


Customer Approval

Date

NILA13-14S-SB-2W-27K-8-15V



MODEL: NILA13-14-RGBW
MATERIAL: Marine Grade Solid Brass
FINISH SHOWN: Satin Brass
ELECTRICAL: 12V-15V
ENGINE: Versa Lux
LUMENS: 400-700
COLOR TEMP: RGBW
MOUNTING: Submersible



WATTAGE	LUMENS
☐ 2W	200
☐ 3W	300
☐ Versa-Lux	400
☐ Versa-Lux	700

COLOR TEMPERATURE

☐ 2200K	☐ 5000K
☐ 2700K	☐ 6500K
☐ 3000K	☐ RGBW
☐ 4000K	☐ AMBER (TF)

ELECTRICAL

☐ 12V-15V

OPTICS

☐ SPOT	19d
☐ FLOOD	38d
☐ WIDE FLOOD	54d
☐ WIDE ANGLE FLOOD	120d



Wet Listed



Ordering Example


NILA13-14-RGBW-SB-8W-RGBW-12-15V

Customer Approval

Date



MODEL: NILA13-14FM
MATERIAL: Marine Grade Solid Brass
FINISH SHOWN: Satin Brass
ELECTRICAL: 8-15V, 12V-15V
ENGINE: FB-3W-CYL-TA16
LUMENS: 200
COLOR TEMP: 2700K
MOUNTING: Submersible



WATTAGE	LUMENS
☐ 1W	80
☐ 2W	200
☐ 3W	300
☐ 6W	400

COLOR TEMPERATURE

☐ 2200K	☐ 5000K
☐ 2700K	☐ 6500K
☐ 3000K	☐ RGBW
☐ 4000K	☐ AMBER (TF)

ELECTRICAL

☐ 8-15V	☐ 12V-15V
--------------------------------	----------------------------------

OPTICS

☐ SPOT	19d
☐ FLOOD	38d
☐ WIDE FLOOD	54d
☐ WIDE ANGLE FLOOD	120d



Model: NILA13-14-N
Pour Sleeve



Wet Listed



Ordering Example

Customer Approval

Date

NILA13-14FM-SB-3W-27K-8-15V