



Better solutions for Led Flood Light


	IP66 water-proof		AC100-277V 50/60Hz
	Easy Installation		120Lm/W 150Lm/W
Operating Temp.: -40°C ~ +50°C		Storage Temp.: -40°C ~ +80°C	

Options

Power	Color	Beam Angle
INVENTRONICS DRIVER	3000K	10°
	4000K	15°
	5000K	30°
	5700K	60°
		90°
		T2(117°34°)

Application


Sports Lighting, Stadium lighting, Sports fields, Car parks, High mast installations
Dock, railway and container yards, Ports and other large scale outdoor applications,
Architectural lighting, Landscape lighting, Industrial and commercial exterior lighting
Decorative lighting for holidays, trade shows, exhibitions.



Specifications


Item	Power	Luminous Efficacy	Leds	CRI	Weight	Beam Angle
NORMAN A-400W-07-G8	400W	120Lm/W 150Lm/W	SAMSUNG 3535 SMD 5050	>70	17.0kg(37.5lbs)	10°/15° 30°/60°/90°/T2
NORMAN A-500W-07-G8	500W	120Lm/W 150Lm/W	SAMSUNG 3535 SMD 5050	>70	17.0kg(37.5lbs)	10°/15° 30°/60°/90°/T2
NORMAN A-600W-07-G8	600W	120Lm/W 150Lm/W	SAMSUNG 3535 SMD 5050	>70	19.5kg(43.0lbs)	15° 30°/60°/90°/T2
NORMAN A-800W-07-G8	800W	120Lm/W 150Lm/W	SAMSUNG 3535 SMD 5050	>70	32.5kg(71.7lbs)	10°/15° 30°/60°/90°/T2
NORMAN A-1000W-07-G8	1000W	120Lm/W 150Lm/W	SAMSUNG 3535 SMD 5050	>70	32.5kg(71.7lbs)	10°/15° 30°/60°/90°/T2
NORMAN A-1200W-07-G8	1200W	120Lm/W 150Lm/W	SAMSUNG 3535 SMD 5050	>70	36.5kg(80.5lbs)	15° 30°/60°/90°/T2
NORMAN A-1500W-07-G8	1500W	120Lm/W 150Lm/W	SAMSUNG 3535 SMD 5050	>70	46.5kg(103lbs)	10°/15° 30°/60°/90°/T2
NORMAN A-1800W-07-G8	1800W	120Lm/W 150Lm/W	SAMSUNG 3535 SMD 5050	>70	54.0kg(119lbs)	15° 30°/60°/90°/T2

Dimensions(mm)



400W/500W/600W

800W/1000W/1200W



1500W/1800W

Model Options



400W/500W/600W





800W/1000W/1200W




1500W/1800W

Photometry



Installation and use

P1 U-Shaped Bracket



Packing Spec

Item	Box			Carton		
	Measurement(mm)	Gross weight	Pcs/box	Measurement(mm)	Gross weight	Pcs/carton
400-600W	L685*W490*H265	20.5kg(45.2lbs)	1	/	/	/
800-1200W	L935*W715*H320	38.0kg(83.8lbs)	1	/	/	/
1500-1800W	L1190*W725*H365	56.0kg(123lbs)	1	/	/	/