

# TUULI

## LED Ceiling Fan

A compact 24" three-blade ceiling fan with an integrated LED ring light and a quiet AC motor. Sleek minimalist styling in solid-finish ABS blades; damp rated for covered outdoor areas and ideal for small rooms, alcoves, and porches.

- 24" span · 3 solid-finish ABS blades
- Quiet AC motor
- Integrated 24W LED ring · 3000K / 80 CRI
- Remote control included
- Damp rated for covered outdoor areas
- ETL listed (Intertek)



ETL

Damp Rated

**1,471 CFM**

AIRFLOW

**24"**

BLADE SPAN

**AC**

MOTOR

AIRFLOW  
DIRECTION

Non-Reversible

BLADES

3 · ABS

CONTROL

Remote (included)

MOUNTING

Downrod · flat or angled ceiling (20° max)

DOWNROD

Downrod mount; 48" optional

LEAD WIRE

54" (allows up to a 48" downrod)

INDOOR / OUTDOOR

Damp Rated (covered outdoor)

LIGHT KIT

Integrated LED — fan ships with light (must be installed with it)

DIMENSIONS

24" span · 15" overall drop

### INTEGRATED LIGHT KIT

LUMEN OUTPUT

1,959 fixture

COLOR TEMP / CCT

3000K

COLOR QUALITY / CRI

80 (Ra)

WATTAGE

24W

EFFICACY

82 lm/W

LED SOURCE

Philips

LENS

PC (polycarbonate)

DRIVER

AC

# Ordering & Dimensions

TUULI

CONFIGURE YOUR PART NUMBER USING THE OPTIONS BELOW.

| MODEL | SIZE   | LIGHT                  | CCT      | CONTROL              | OPTIONS                    | FINISH                                                  |
|-------|--------|------------------------|----------|----------------------|----------------------------|---------------------------------------------------------|
| TUULI | 24 24" | L Integrated LED · 24W | 30 3000K | RC Remote (included) | N None<br>DR48 48" Downrod | MBK Matte Black<br>MWH Matte White<br>BN Brushed Nickel |

The fan ships with the integrated LED light kit and must be installed with it. Add a 48" downrod with option code DR48.


## Build Your Order Code — example values shown in grey

| MODEL                              | SIZE                            | LIGHT                          | CCT                             | CONTROL                         | OPTIONS                        | FINISH                           |
|------------------------------------|---------------------------------|--------------------------------|---------------------------------|---------------------------------|--------------------------------|----------------------------------|
| <input type="text" value="TUULI"/> | <input type="text" value="24"/> | <input type="text" value="L"/> | <input type="text" value="30"/> | <input type="text" value="RC"/> | <input type="text" value="N"/> | <input type="text" value="MBK"/> |

## FINISHES



MBK  
Matte Black



MWH  
Matte White



BN  
Brushed Nickel

## Dimensions

| MEASUREMENT                    | VALUE                 |
|--------------------------------|-----------------------|
| Blade Span                     | 24"                   |
| Ceiling to bottom of blade     | 14"                   |
| Ceiling to bottom of light kit | 15"                   |
| Downrod (max)                  | 48" (sold separately) |

SEE IT IN EVERY FINISH

TUULI



**MWH** Matte White



**MBK** Matte Black



**BN** Brushed Nickel