


GTF5212A-INTERIOR LIGHTING FIXTURE



INTRODUCTION

FEATURE

Elegance Design with Durable Quality
Long Lifespan Design >50,000hours
Working Temperature: -20°C~40°C

MATERIALS & FINISH

Metal Fixture: Painted Galvanized Steel
Fitment: E26 (Rated Power 125V 75W)
(MCA) Optics: Anti-UV PMMA, Smooth Surface
(MCB) Optics: Anti-UV PE, Fine Uneven surface

INSTALLATION

Suitable for Interior Lighting
[FFS]: Flush Surface Mounted
[FPSR]: Retractable Stem Pendant
[FPC]: Catenary Pendant
[FWA]: Wall Surface Mounted
[FJP]: Fixing Plate on JBOX/Outlet Box

NOTES: Custom Installation and Accessories
Referred to Another Catalogue of Fixing Kits.

STANDARD



Designed and Manufactured to Comply with
TUV/CE/ROHS/GS/cUL Standard
IP20 Protection, Class I Electrical

OPTION

LED CCT: 1,600K~10,000K/R/G/B/Y
[CRI]: [E] RA80, [G] RA90, [H] RA97(RG0)
[WM40C]: Working Temperature -40°C~50°C
[SFH]: Custom Housing Finish by RAL Code

[F] Metal Fixture Finish:

Glossy Brass [H1GBS]	Glossy Silver [H1GSV]	Matt Black [H1MBK]	Matt White [H1MWT]
-------------------------	--------------------------	-----------------------	-----------------------



SPECIFICATION

GTF5212A-MG: LED GARDEN LIGHT

MODEL	POWER [W]	LED TYPE	CCT [K]		CRI	FLUX [LM]	POWER FACTOR	BEAM ANGLE	CUSTOM DIMMING	INPUT [V]
GTF5212A-MGA150A MGB150A	12W [6W]	60x0.5W SMD2835	H1800K		RA97	590	> 0.9	[BDM] 360°	[CDT]:TRIAC(10%) [CDV]:0/1~10V(7%) [CDV0]:0~10V(1%) [CDV1]:1~10V(10%) [CDX]:DMX512(1%) [CDA]:DALI(1%) [CDP]:PWM(1%) [CRB]:Bluetooth(1%) [CRZ]:Zigbee(1%) [CRF]:2.4G (1%)	AC100~277V [AC100~240V] [AC100~347V] 50/60Hz
			H2500K		RA97	720				
			H2700K		RA97	770				
			H3000K		RA97	810				
			H3500K		RA97	810				
			H4000K		RA97	890				
			H5000K		RA97	890				
	H6000K		RA97	870						
2C@12W	TWG	H2700K	H6000K	RA97	770	> 0.9				
4C@12W	RGBW	620nm 520nm 465nm	H2700K	\	770	> 0.9				
4C@12W	RGBA	620nm 520nm 465nm 590nm	\	770	> 0.9					
GTF5212A-MGA200A MGB200A	20W [30W] [15W]	120x0.5W SMD2835	H1800K		RA97	980	> 0.9			[CV DC12V] [CV DC24V] [CV DC42V]
			H2500K		RA97	1200				
			H2700K		RA97	1260				
			H3000K		RA97	1350				
			H3500K		RA97	1350				
			H4000K		RA97	1480				
			H5000K		RA97	1480				
	H6000K		RA97	1460						
2C@20W	TWG	H2700K	H6000K	RA97	1260	> 0.9				
4C@20W	RGBW	620nm 520nm 465nm	H2700K	\	1260	> 0.9				
4C@20W	RGBA	620nm 520nm 465nm 590nm	\	1260	> 0.9					
GTF5212A-MGA250A MGB250A MGA300A MGB300A	30W [20W] [15W] [12W]	180x0.5W SMD2835	H1800K		RA97	1380	> 0.9	[BDM] 360°	[CDT]:TRIAC(10%) [CDV]:0/1~10V(7%) [CDV0]:0~10V(1%) [CDV1]:1~10V(10%) [CDX]:DMX512(1%) [CDA]:DALI(1%) [CDP]:PWM(1%) [CRB]:Bluetooth(1%) [CRZ]:Zigbee(1%) [CRF]:2.4G (1%)	AC100~277V [AC100~240V] [AC100~347V] 50/60Hz
			H2500K		RA97	1680				
			H2700K		RA97	1760				
			H3000K		RA97	1890				
			H3500K		RA97	1890				
			H4000K		RA97	2080				
			H5000K		RA97	2080				
	H6000K		RA97	2040						
2C@30W	TWG	H2700K	H6000K	RA97	1760	> 0.9				
4C@30W	RGBW	620nm 520nm 465nm	H2700K	\	1760	> 0.9				
4C@30W	RGBA	620nm 520nm 465nm 590nm	\	1760	> 0.9					
GTF5212A-MGA350A MGB350A	50W [40W] [20W] [15W]	240x0.5W SMD2835	H1800K		RA97	2360	> 0.9	[BDM] 360°	[CRB]:Bluetooth(1%) [CRZ]:Zigbee(1%) [CRF]:2.4G (1%) [SENSOR] [CSL]:Lux Sensor [CSP]:PIR Motion Sensor	[CV DC12V] [CV DC24V] [CV DC42V]
			H2500K		RA97	2870				
			H2700K		RA97	3030				
			H3000K		RA97	3240				
			H3500K		RA97	3240				
			H4000K		RA97	3560				
			H5000K		RA97	3560				
	H6000K		RA97	3500						
2C@50W	TWG	H2700K	H6000K	RA97	3030	> 0.9				
4C@50W	RGBW	620nm 520nm 465nm	H2700K	\	3030	> 0.9				
4C@50W	RGBA	620nm 520nm 465nm 590nm	\	3030	> 0.9					
GTF5212A-MGA400A MGB400A MGA500A MGB500A	60W [50W] [40W] [20W]	360x0.5W SMD2835	H1800K		RA97	2960	> 0.9	[BDM] 360°	[CDT]:TRIAC(10%) [CDV]:0/1~10V(7%) [CDV0]:0~10V(1%) [CDV1]:1~10V(10%) [CDX]:DMX512(1%) [CDA]:DALI(1%) [CDP]:PWM(1%) [CRB]:Bluetooth(1%) [CRZ]:Zigbee(1%) [CRF]:2.4G (1%)	AC100~277V [AC100~240V] [AC100~347V] 50/60Hz
			H2500K		RA97	3590				
			H2700K		RA97	3780				
			H3000K		RA97	4050				
			H3500K		RA97	4050				
			H4000K		RA97	4450				
			H5000K		RA97	4450				
	H6000K		RA97	4370						
2C@60W	TWG	H2700K	H6000K	RA97	3780	> 0.9				
4C@60W	RGBW	620nm 520nm 465nm	H2700K	\	3780	> 0.9				
4C@60W	RGBA	620nm 520nm 465nm 590nm	\	3780	> 0.9					
GTF5212A-MGA600A MGB600A MGA800A MGB800A MGA1000A MGB1000A	75W [100W] [60W] [50W] [40W]	360x0.5W SMD2835	H1800K		RA97	3550	> 0.9	[BDM] 360°	[CDP]:PWM(1%) [CRB]:Bluetooth(1%) [CRZ]:Zigbee(1%) [CRF]:2.4G (1%) [REMOET SENSOR] Following [Sensor] [CSL]: Photocell Lux Sensor [CSPD]: Big-level PIR Motion Sensor [CSMD]: Big-level Microwave Motion Sensor	AC100~277V [AC100~240V] [AC100~347V] [AC180~528V] 50/60Hz
			H2500K		RA97	4310				
			H2700K		RA97	4540				
			H3000K		RA97	4860				
			H3500K		RA97	4860				
			H4000K		RA97	5350				
			H5000K		RA97	5350				
	H6000K		RA97	5250						
2C@75W	TWG	H2700K	H6000K	RA97	4540	> 0.9				
4C@75W	RGBW	620nm 520nm 465nm	H2700K	\	4540	> 0.9				
4C@75W	RGBA	620nm 520nm 465nm 590nm	\	4540	> 0.9					
GTF5212A-MGA1200A MGB1200A MGA1500A MGB1500A MGA2000A MGB2000A	100W [75W] [60W] [50W] [40W]	480x0.5W SMD2835	H1800K		RA97	4920	> 0.9			[CV DC24V] [CV DC42V]
			H2500K		RA97	6000				
			H2700K		RA97	6300				
			H3000K		RA97	6750				
			H3500K		RA97	6750				
			H4000K		RA97	7420				
			H5000K		RA97	7420				
	H6000K		RA97	7300						
2C@100W	TWG	H2700K	H6000K	RA97	6300	> 0.9				
4C@100W	RGBW	620nm 520nm 465nm	H2700K	\	6300	> 0.9				
4C@100W	RGBA	620nm 520nm 465nm 590nm	\	6300	> 0.9					

NOTE:







All parameters are measured at 25℃ ambient temperature, 35% humidity experimental environment.
Tolerances of power and luminous flux are ±10%, tolerance of color rendering index is ±5.






[FPSR] Retractable Stem Pendant			DIMENSION: [UNIT: MM]
NOTES: Custom Installation and Accessories Referred to Another Catalogue of Fixing Kits.			CASE STUDY:
(MGA150A) (MGB150A) Φ120/4.72" 50/1.97" [FPSR] L300/11.8" L400/15.8" L500/19.7" L600/23.6" L750/29.5" L1000/39.4" L1500/59" (=L) Φ150/5.9"	(MGA200A) (MGB200A) Φ120/4.72" 50/1.97" [FPSR] L300/11.8" L400/15.8" L500/19.7" L600/23.6" L750/29.5" L1000/39.4" L1500/59" (=L) Φ200/7.9"	(MGA250A) (MGB250A) Φ120/4.72" 50/1.97" [FPSR] L300/11.8" L400/15.8" L500/19.7" L600/23.6" L750/29.5" L1000/39.4" L1500/59" (=L) Φ250/9.84"	
(MGA300A) (MGB300A) Φ120/4.72" 50/1.97" [FPSR] L300/11.8" L400/15.8" L500/19.7" L600/23.6" L750/29.5" L1000/39.4" L1500/59" (=L) Φ300/11.8"	(MGA400A) (MGB400A) Φ150/5.9" 40/1.6" [FPSR] L300/11.8" L400/15.8" L500/19.7" L600/23.6" L750/29.5" L1000/39.4" L1500/59" (=L) Φ400/15.8"	(MGA500A) (MGB500A) Φ200/7.9" 40/1.6" [FPSR] L300/11.8" L400/15.8" L500/19.7" L600/23.6" L750/29.5" L1000/39.4" L1500/59" (=L) Φ500/19.7"	
(MGA600A) (MGB600A) Φ200/7.9" 40/1.6" [FPSR] L300/11.8" L400/15.8" L500/19.7" L600/23.6" L750/29.5" L1000/39.4" L1500/59" (=L) Φ600/23.6"	(MGA800A) (MGB800A) Φ250/9.8" 40/1.6" [FPSR] L300/11.8" L400/15.8" L500/19.7" L600/23.6" L750/29.5" L1000/39.4" L1500/59" (=L) Φ800/31.5"	(MGA1000A) (MGB1000A) Φ250/9.8" 40/1.6" [FPSR] L300/11.8" L400/15.8" L500/19.7" L600/23.6" L750/29.5" L1000/39.4" L1500/59" (=L) Φ1000/39.4"	
(MGB1200A) Φ250/9.8" 40/1.6" [FPSR] L300/11.8" L400/15.8" L500/19.7" L600/23.6" L750/29.5" L1000/39.4" L1500/59" (=L) Φ1200/39.4"	(MGB1500A) Φ330/13" 40/1.6" [FPSR] L300/11.8" L400/15.8" L500/19.7" L600/23.6" L750/29.5" L1000/39.4" L1500/59" (=L) Φ1500/59"	(MGB2000A) Φ330/13" 40/1.6" [FPSR] L300/11.8" L400/15.8" L500/19.7" L600/23.6" L750/29.5" L1000/39.4" L1500/59" (=L) Φ2000/78.7"	

SPECIFICATION

GTG212A-MG: LED GARDEN LIGHT

STANDARD [BDM] OPAL	CUSTOM DIFFUSER (Notes: MOQ200pcs)				
	[BDM] FROSTED	[BDCS] CLEAR STRIPE	[BDP] PRISMATIC	SMOKE	COLOR
					

CUSTOM PATTERN (Notes: Hand-painted, rough surface, choose carefully)						
SAMPLE	[BPP1101A]	[BPP1102A]	[BPP1103A]	[BPP1104A]	[BPP1105A]	
						
SAMPLE	[BPP1106A]	[BPP1107A]	[BPP1108A]	[BPP1109A]	[BPP1110A]	
						
SAMPLE	[BPP1111A]	[BPP1112A]	[BPP1113A]	[BPP1114A]	[BPP1115A]	
						
SAMPLE	[BPP1116A]	[BPP1117A]	[BPP1118A]	[BPP1119A]	[BPP1120A]	
						

CUSTOM PATTERN (Notes: Hand-painted, rough surface, choose carefully)						
SAMPLE	[BPP1121A]	[BPP1122A]	[BPP1123A]	[BPP1124A]	[BPP1125A]	
						
SAMPLE	[BPP1126A]	[BPP1127A]	[BPP2001A]	[BPP2001B]	[BPP2001C]	
						
SAMPLE	[BPP-SUN01A]	[BPP-Mars01A]	[BPP-Jupiter01A]	[BPP-Neptune01A]	[BPP-Uranus01A]	
						
SAMPLE	[BPP-Saturn01A]	[BPP-Venus01A]		[BPP-Eeath01A]	[BPP-Moon01A]	
