

INTRODUCTION

FEATURE

Perfect Luminaires for Driveways and Footpaths
Offer Glare-free Illumination of Ground Surfaces
Pleasantly Uniform Light Effects
Suitable for Areas Without Risk of Vandalism
Long Lifespan > 50,000hours
Working Temperature: -30℃~50℃ [CUSTOM -40℃]

MAIN MATERIAL

LED Brand: GUBO
Driver Brand: GUBO
Housing: Aluminum Profile
Optics: Nano PC Reflector
Diffuser: Anti-UV PC Frosted Diffuser

INSTALLATION

[FWA] Wall Scone, Wall Mounted
[PSA] Bollard
[FSC] Post Top, Mounting Slip Fitter
Suitable for Garden, Park, Plaza.....

STANDARD

Designed and Manufactured to Comply with
CE/RoHS/TUV/CB/cETL/SAA Standard
IP65 Protection, Class I Electric

CUSTOM OPTION

LED CCT: 1800K~10,000K/R/G/B/A/RGBW
LED Grown Light: **Full Spectrum** 380nm~840nm
[CRI]: [E] RA80, [G] RA90, [H] RA97(RG0)
SFH: Custom Housing Finish by RAL Code

WHITE	BLACK	GREY	DARK GREY	BRASS
RAL9010P	RAL9005P	RAL7042P	RAL7016P	RAL1024P

TEEMU 508A: LED GARDEN LIGHT

[FSC] POST TOP	[PSA]-[FNE] BOLLARD	[PSA] TALL BOLLARD					
MCA160A	MCA160A	(MCA160A)	(MCA160 D600A)	(MCA160 D1200A)			
[MTD]	[MTD]	[MTT]	[MTT]	[MTT]			








MODEL	POWER [W]	LED TYPE	CCT [K]		CRI	FLUX [LM]	POWER FACTOR	BEAM ANGLE	CUSTOM DIMMING	INPUT [V]		
TEEMU 508A- -MCA125A- -MCA125SFB00A- -[MTF] -[MTD] -[MTT]	25W [20W] [15W] [10W]	24x2W SMD3030	G2700K		RA90	970	>0.9	[BDM] 150°	[CDT]:TRIAC(10%) [CDV]:0/1~10V(7%) [CDV0]:0~10V(1%) [CDV1]:1~10V(10%) [CDX]:DMX512(1%) [CDA]:DALI(1%) [CDP]:PWM(1%) [CRB]:Bluetooth(1%) [CRZ]:Zigbee(1%) [CRF]:2.4G (1%)	AC100~277V [AC100~240V] [AC100~347V] 50/60Hz		
			G3000K		RA90	1050						
			G3500K		RA90	1050						
			G4000K		RA90	1130						
			G6500K		RA90	1100						
	2C@25W	TWG	G2700K	G6500K	RA90	820	>0.9					
4C@25W	RGBW	620nm	520nm	465nm	G2700K	\	820		>0.9			
4C@25W	RGBA	620nm	520nm	465nm	590nm	\	820		>0.9			
TEEMU 508A- -MCA160A- -MCA160SFB00A- -[MTF] -[MTD] -[MTT]	50W [40W] [25W] [15W]	48x2W SMD3030	G2700K		RA90	1950	>0.9		[BDM] 150°		[CRB]:Bluetooth(1%) [CRZ]:Zigbee(1%) [CRF]:2.4G (1%)	[CV DC12V] [CV DC24V] [CV DC36V] [CV DC48V]
			G3000K		RA90	2100						
			G3500K		RA90	2100						
			G4000K		RA90	2250						
			G6500K		RA90	2210						
	2C@50W	TWG	G2700K	G6500K	RA90	1650	>0.9					
4C@50W	RGBW	620nm	520nm	465nm	G2700K	\	1650	>0.9				
4C@50W	RGBA	620nm	520nm	465nm	590nm	\	1650	>0.9				
TEEMU 508A- -MC200A- -MC200SFB00A- -[MTF] -[MTD] -[MTT]	75W [60W] [50W] [40W] [30W]	72x2W SMD3030	G2700K		RA90	2920	>0.9	[BDM] 150°		[CSL]: Photocell Lux Sensor [CSP]: PIR Motion Sensor [CSM]: Micro Motion Sensor [CSMD]: Bi-level Microwave Motion Sensor		
			G3000K		RA90	3150						
			G3500K		RA90	3150						
			G4000K		RA90	3380						
			G6500K		RA90	3310						
	2C@75W	TWG	G2700K	G6500K	RA90	2470	>0.9					
4C@75W	RGBW	620nm	520nm	465nm	G2700K	\	2470		>0.9			
4C@75W	RGBA	620nm	520nm	465nm	590nm	\	2470		>0.9			
TEEMU 508A- -MCA125D300A- -MCA160D300A- -MC200D300A- -[MTF] -[MTD] -[MTT]	25W [20W] [15W] [10W]	216x0.5W SMD2835	G2700K		RA90	1420	>0.9		[BDM] 150°	[CDT]:TRIAC(10%) [CDV]:0/1~10V(7%) [CDV0]:0~10V(1%) [CDV1]:1~10V(10%) [CDX]:DMX512(1%) [CDA]:DALI(1%) [CDP]:PWM(1%) [CRB]:Bluetooth(1%) [CRZ]:Zigbee(1%) [CRF]:2.4G (1%)		AC100~277V [AC100~240V] [AC100~347V] 50/60Hz
			G3000K		RA90	1500						
			G3500K		RA90	1500						
			G4000K		RA90	1600						
			G6500K		RA90	1570						
	2C@25W	TWG	G2700K	G6500K	RA90	1420	>0.9					
4C@25W	RGBW	620nm	520nm	465nm	G2700K	\	1420	>0.9				
4C@25W	RGBA	620nm	520nm	465nm	590nm	\	1420	>0.9				
TEEMU 508A- -MCA125D600A- -MCA160D600A- -MC200D600A- -[MTF] -[MTD] -[MTT]	50W [40W] [30W] [20W]	432x0.5W SMD2835	G2700K		RA90	2830	>0.9	[BDM] 150°		[CRB]:Bluetooth(1%) [CRZ]:Zigbee(1%) [CRF]:2.4G (1%)	[CV DC12V] [CV DC24V] [CV DC36V] [CV DC48V]	
			G3000K		RA90	3000						
			G3500K		RA90	3000						
			G4000K		RA90	3180						
			G6500K		RA90	3130						
	2C@50W	TWG	G2700K	G6500K	RA90	2830	>0.9					
4C@50W	RGBW	620nm	520nm	465nm	G2700K	\	2830		>0.9			
4C@50W	RGBA	620nm	520nm	465nm	590nm	\	2830		>0.9			
TEEMU 508A- -MCA125D1200A- -MCA160D1200A- -MC200D1200A- -[MTF] -[MTD] -[MTT]	100W [75W] [50W]	964x0.5W SMD2835	G2700K		RA90	5660	>0.9		[BDM] 150°	[CSL]: Photocell Lux Sensor [CSP]: PIR Motion Sensor [CSM]: Micro Motion Sensor [CSMD]: Bi-level Microwave Motion Sensor		
			G3000K		RA90	6020						
			G3500K		RA90	6020						
			G4000K		RA90	6370						
			G6500K		RA90	6260						
	2C@100W	TWG	G2700K	G6500K	RA90	5660	>0.9					
4C@100W	RGBW	620nm	520nm	465nm	G2700K	\	5660	>0.9				
4C@100W	RGBA	620nm	520nm	465nm	590nm	\	5660	>0.9				

NOTE:

All parameters are measured at 25℃ ambient temperature, 35% humidity experimental environment.
Tolerances of power and luminous flux are ±10%, tolerance of color rendering index is ±5.



















SPECIFICATION





TEEMU 508A: LED GARDEN LIGHT






[FWA] Upside Wall Mounted Light		DIMENSION: [UNIT: MM]		
CASE STUDY:		(MCA125A-MTF-FWA) (MCA160A-MTF-FWA) (MC200A-MTF-FWA)	(MCA125A-MTD-FWA) (MCA160A-MTD-FWA) (MC200A-MTD-FWA)	(MCA125A-MTT-FWA) (MCA160A-MTT-FWA) (MC200A-MTT-FWA)
		MC125A: Φ125/4.92" MC160A: Φ160/6.3" MC200A: Φ200/7.88"	MC125A: Φ125/4.92" MC160A: Φ160/6.3" MC200A: Φ200/7.88"	MC125A: Φ125/4.92" MC160A: Φ160/6.3" MC200A: Φ200/7.88"
		120/4.73" MC125A: 330/13" MC160A: 390/15.4" MC200A: 430/16.9"	120/4.73" MC125A: 360/14.2" MC160A: 420/15.54" MC200A: 480/18.9"	120/4.73" MC125A: 340/13.4" MC160A: 415/16.34" MC200A: 455/17.92"
		MC125A: 155/6.1" MC160A: 190/7.5" MC200A: 230/9.1"	MC125A: 155/6.1" MC160A: 190/7.5" MC200A: 230/9.1"	MC125A: 155/6.1" MC160A: 190/7.5" MC200A: 230/9.1"
		(MCA125SFB00A-MTF-FWA) (MCA160SFB00A-MTF-FWA)	(MCA125SFB00A-MTD-FWA) (MCA160SFB00A-MTD-FWA)	(MCA125SFB00A-MTT-FWA) (MCA160SFB00A-MTT-FWA)
		MC125D: 125/4.92" MC160D: 160/6.3"	MC125D: 125/4.92" MC160D: 160/6.3"	MC125D: 125/4.92" MC160D: 160/6.3"
		MC125D300A: 240/11.8" MC160D300A: 300/11.8" MC125D: 660/26" MC160D: 680/26.8"	MC125D300A: 300/11.8" MC160D300A: 300/11.8" MC125D: 690/27.2" MC160D: 710/28"	MC125D300A: 300/11.8" MC160D300A: 300/11.8" MC125D: 670/26.4" MC160D: 705/27.8"
		MC125D: 155/6.1" MC160D: 190/7.5"	MC125D: 155/6.1" MC160D: 190/7.5"	MC125A: 155/6.1" MC160A: 190/7.5"
		(MCA125D300A-MTF-FWA) (MCA160D300A-MTF-FWA)	(MCA125D300A-MTD-FWA) (MCA160D300A-MTD-FWA)	(MCA125D300A-MTT-FWA) (MCA160D300A-MTT-FWA)
		MC125D: 125/4.73" MC160D: 160/6.3"	MC125D: 125/4.73" MC160D: 160/6.3"	MC125D: 125/4.73" MC160D: 160/6.3"
		MC125D300A: 240/11.8" MC160D300A: 300/11.8" MC125D: 660/26" MC160D: 680/26.8"	MC125D300A: 300/11.8" MC160D300A: 300/11.8" MC125D: 690/27.2" MC160D: 710/28"	MC125D300A: 300/11.8" MC160D300A: 300/11.8" MC125D: 670/26.4" MC160D: 705/27.8"
		MC125D: 155/6.1" MC160D: 190/7.5"	MC125D: 155/6.1" MC160D: 190/7.5"	MC125A: 155/6.1" MC160A: 190/7.5"
		(MCA125D600A-MTF-FWA) (MCA160D600A-MTF-FWA)	(MCA125D600A-MTD-FWA) (MCA160D600A-MTD-FWA)	(MCA125D600A-MTT-FWA) (MCA160D600A-MTT-FWA)
		MC125D: 125/4.92" MC160D: 160/6.3"	MC125D: 125/4.92" MC160D: 160/6.3"	MC125D: 125/4.92" MC160D: 160/6.3"
		MC125D600A: 600/23.6" MC160D600A: 600/23.6" MC125D: 960/37.8" MC160D: 980/38.6"	MC125D600A: 300/23.6" MC160D600A: 300/23.6" MC125D: 990/39" MC160D: 1010/39.8"	MC125D600A: 300/23.6" MC160D600A: 300/23.6" MC125D: 970/38.2" MC160D: 1005/39.6"
		200/7.9"	200/7.9"	200/7.9"
		MC125D: 155/6.1" MC160D: 190/7.5"	MC125D: 155/6.1" MC160D: 190/7.5"	MC125D: 155/6.1" MC160D: 190/7.5"

[PSA]-[FNE] Bollard Light

DIMENSION: [UNIT: MM]



















[PSA] Post & Tall Bollard Light		DIMENSION: [UNIT: MM]	
	(MTF)-[PSA] MC125A:Φ125/4.92" MC160A:Φ160/6.3" MC200A:Φ200/7.88" MC125A:180/7.1" MC160A:240/9.5" MC200A:280/11" L1360/53.6" L1660/65.4" L1960/77.2" L2260/89" EXPANSION BOLT CUSTOM ANCHOR 150/6"	(MTD)-[PSA] MC125A:Φ125/4.92" MC160A:Φ160/6.3" MC200A:200/7.88" MC125A:210/8.3" MC160A:270/10.7" MC200A:330/13" L1360/53.6" L1660/65.4" L1960/77.2" L2260/89" EXPANSION BOLT CUSTOM ANCHOR 150/6"	(MTT)-[PSA] MC125A:Φ125/4.92" MC160A:Φ160/6.3" MC200A:Φ200/7.88" MC125A:190/7.5" MC160A:265/10.5" MC200A:305/12" L1360/53.6" L1660/65.4" L1960/77.2" L2260/89" EXPANSION BOLT CUSTOM ANCHOR 300/12"
	(SFB00A)-(MTF)-[PSA] MC125B:Φ125/4.92" MC160B:Φ160/6.3" MC200B:Φ200/7.88" MC125B:360/14.2" MC160B:380/15" MC200B:380/15" B300A:300/11.8" L1360/53.6" L1660/65.4" L1960/77.2" L2260/89" EXPANSION BOLT CUSTOM ANCHOR 300/12"	(SFB00A)-(MTD)-[PSA] MC125B:Φ125/4.92" MC160B:Φ160/6.3" MC200B:Φ200/7.88" MC125B:390/15.4" MC160B:410/16.2" MC200B:430/16.9" B300A:300/11.8" L1360/53.6" L1660/65.4" L1960/77.2" L2260/89" EXPANSION BOLT CUSTOM ANCHOR 300/12"	(SFB00A)-(MTT)-[PSA] MC125B:Φ125/4.92" MC160B:Φ160/6.3" MC200B:Φ200/7.87" MC125B:370/14.6" MC160B:405/16" MC200B:405/16" B300A:300/11.8" L1360/53.6" L1660/65.4" L1960/77.2" L2260/89" EXPANSION BOLT CUSTOM ANCHOR 300/12"
	(D300A)-(MTF)-[PSA] MC125D:Φ125/4.92" MC160D:Φ160/6.3" MC200D:Φ200/7.88" MC125D:360/14.2" MC160D:380/15" MC200D:380/15" D300A:300/11.8" L1360/53.6" L1660/65.4" L1960/77.2" L2260/89" EXPANSION BOLT CUSTOM ANCHOR 300/12"	(D300A)-(MTD)-[PSA] MC125D:Φ125/4.92" MC160D:Φ160/6.3" MC200D:Φ200/7.88" MC125D:390/15.4" MC160D:410/16.2" MC200D:430/16.9" D300A:300/11.8" L1360/53.6" L1660/65.4" L1960/77.2" L2260/89" EXPANSION BOLT CUSTOM ANCHOR 300/12"	(D300A)-(MTT)-[PSA] MC125D:Φ125/4.92" MC160D:Φ160/6.3" MC200D:Φ200/7.87" MC125D:370/14.6" MC160D:405/16" MC200D:405/16" D300A:300/11.8" L1360/53.6" L1660/65.4" L1960/77.2" L2260/89" EXPANSION BOLT CUSTOM ANCHOR 300/12"
	(D600A)-(MTF)-[PSA] MC125D:Φ125/4.92" MC160D:Φ160/6.3" MC200D:Φ200/7.88" MC125D:660/26" MC160D:680/26.8" MC200D:680/26.8" D600A:600/23.6" L1360/53.6" L1660/65.4" L1960/77.2" L2260/89" EXPANSION BOLT CUSTOM ANCHOR 300/12"	(D600A)-(MTD)-[PSA] MC125D:Φ125/4.92" MC160D:Φ160/6.3" MC200D:Φ200/7.88" MC125D:690/27.2" MC160D:710/28" MC200D:730/28.8" D600A:600/23.6" L1360/53.6" L1660/65.4" L1960/77.2" L2260/89" EXPANSION BOLT CUSTOM ANCHOR 300/12"	(D600A)-(MTT)-[PSA] MC125D:Φ125/4.92" MC160D:Φ160/6.3" MC200D:Φ200/7.88" MC125D:670/38.2" MC160D:705/39.6" MC200D:705/39.6" D600A:600/23.6" L1360/53.6" L1660/65.4" L1960/77.2" L2260/89" EXPANSION BOLT CUSTOM ANCHOR 300/12"
	(D1200A)-(MTF)-[PSA]	(D1200A)-(MTD)-[PSA]	(D1200A)-(MTT)-[PSA]

[PSA] Tall Post Light		DIMENSION: [UNIT: MM]	
    	(MTF)-[PSA] MC125A:Φ125/4.92" MC160A:Φ160/6.3" MC200A:Φ200/7.88" MC125A:180/7.1" MC160A:240/9.5" MC200A:280/11" L2860/112.6" L3160/125" L3460/136.2" L3760/148" L4060/160" L4360/172" ANCHOR 1000/40"	(MTD)-[PSA] MC125A:Φ125/4.92" MC160A:Φ160/6.3" MC200A:200/7.88" MC125A:210/8.3" MC160A:270/10.7" MC200A:330/13" L2860/112.6" L3160/125" L3460/136.2" L3760/148" L4060/160" L4360/172" ANCHOR 1000/40"	(MTT)-[PSA] MC125A:Φ125/4.92" MC160A:Φ160/6.3" MC200A:Φ200/7.88" MC125A:190/7.5" MC160A:265/10.5" MC200A:305/12" L2860/112.6" L3160/125" L3460/136.2" L3760/148" L4060/160" L4360/172" ANCHOR 1000/40"
	(SFB00A)-(MTF)-[PSA] MC125B:Φ125/4.92" MC160B:Φ160/6.3" MC200B:Φ200/7.88" MC125B:360/14.2" MC160B:380/15" MC200B:380/15" B300A:300/11.8" L2860/112.6" L3160/125" L3460/136.2" L3760/148" L4060/160" L4360/172" ANCHOR 1000/40"	(SFB00A)-(MTD)-[PSA] MC125B:Φ125/4.92" MC160B:Φ160/6.3" MC200B:Φ200/7.88" MC125B:390/15.4" MC160B:410/16.2" MC200B:430/16.9" B300A:300/11.8" L2860/112.6" L3160/125" L3460/136.2" L3760/148" L4060/160" L4360/172" ANCHOR 1000/40"	(SFB00A)-(MTT)-[PSA] MC125B:Φ125/4.92" MC160B:Φ160/6.3" MC200B:Φ200/7.87" MC125B:370/14.6" MC160B:405/16" MC200B:405/16" B300A:300/11.8" L2860/112.6" L3160/125" L3460/136.2" L3760/148" L4060/160" L4360/172" ANCHOR 1000/40"
	(D300A)-(MTF)-[PSA] MC125D:Φ125/4.92" MC160D:Φ160/6.3" MC200D:Φ200/7.88" MC125D:360/14.2" MC160D:380/15" MC200D:380/15" D300A:300/11.8" L2860/112.6" L3160/125" L3460/136.2" L3760/148" L4060/160" L4360/172" ANCHOR 1000/40"	(D300A)-(MTD)-[PSA] MC125D:Φ125/4.92" MC160D:Φ160/6.3" MC200D:Φ200/7.88" MC125D:390/15.4" MC160D:410/16.2" MC200D:430/16.9" D300A:300/11.8" L2860/112.6" L3160/125" L3460/136.2" L3760/148" L4060/160" L4360/172" ANCHOR 1000/40"	(D300A)-(MTT)-[PSA] MC125D:Φ125/4.92" MC160D:Φ160/6.3" MC200D:Φ200/7.87" MC125D:370/14.6" MC160D:405/16" MC200D:405/16" D300A:300/11.8" L2860/112.6" L3160/125" L3460/136.2" L3760/148" L4060/160" L4360/172" ANCHOR 1000/40"
	(D600A)-(MTF)-[PSA]	(D600A)-(MTD)-[PSA]	(D600A)-(MTT)-[PSA]
	(D1200A)-(MTF)-[PSA] MC125D:Φ125/4.92" MC160D:Φ160/6.3" MC200D:Φ200/7.88" MC125D:1260/49.6" MC160D:1280/50.4" MC200D:1280/50.4" D1200A:1200/47.3" L2860/112.6" L3160/125" L3460/136.2" L3760/148" L4060/160" L4360/172" ANCHOR 1000/40"	(D1200A)-(MTD)-[PSA] MC125D:Φ125/4.92" MC160D:Φ160/6.3" MC200D:Φ200/7.88" MC125D:1290/50.8" MC160D:1310/51.6" MC200D:1330/52.4" D1200A:1200/47.2" L2860/112.6" L3160/125" L3460/136.2" L3760/148" L4060/160" L4360/172" ANCHOR 1000/40"	(D1200A)-(MTT)-[PSA] MC125D:Φ125/4.92" MC160D:Φ160/6.3" MC200D:Φ200/7.88" MC125D:1270/50" MC160D:1305/51.4" MC200D:1305/51.4" D1200A:1200/47.2" L2860/112.6" L3160/125" L3460/136.2" L3760/148" L4060/160" L4360/172" ANCHOR 1000/40"

SPECIFICATION

TEEMU 508A: LED GARDEN LIGHT

[FSC] Post Top Light		DIMENSION: [UNIT: MM]		
CASE STUDY:		(MTF-FSC)	(MTD-FSC)	(MTT-FSC)
		MC125A: Φ125/4.92" MC160A: Φ160/6.3" MC200A: Φ200/7.88" MSC32A: Φ35/1.26" MSC42A: Φ48/1.89" MSC60A: Φ65/3.56" MSC76A: Φ82/3.23"	MC125A: Φ125/4.92" MC160A: Φ160/6.3" MC200A: Φ200/7.88" MSC32A: Φ35/1.26" MSC42A: Φ48/1.89" MSC60A: Φ65/3.56" MSC76A: Φ82/3.23"	MC125A: Φ125/4.92" MC160A: Φ160/6.3" MC200A: Φ200/7.88" MSC32A: Φ35/1.26" MSC42A: Φ48/1.89" MSC60A: Φ65/3.56" MSC76A: Φ82/3.23"
		(SFB00A-MTF-FSC)	(SFB00A-MTD-FSC)	(SFB00A-MTT-FSC)
		MC125B: Φ125/4.92" MC160B: Φ160/6.3" MC200B: Φ200/7.88" MSC42A: Φ48/1.89" MSC60A: Φ65/3.56" MSC76A: Φ82/3.23"	MC125B: Φ125/4.92" MC160B: Φ160/6.3" MC200B: Φ200/7.88" MSC42A: Φ48/1.89" MSC60A: Φ65/3.56" MSC76A: Φ82/3.23"	MC125B: Φ125/4.92" MC160B: Φ160/6.3" MC200B: Φ200/7.88" MSC42A: Φ48/1.89" MSC60A: Φ65/3.56" MSC76A: Φ82/3.23"
		(D300A-MTF-FSC)	(D300A-MTD-FSC)	(D300A-MTT-FSC)
		MC125D: Φ125/4.92" MC160D: Φ160/6.3" MC200D: Φ200/7.88" MSC42A: Φ48/1.89" MSC60A: Φ65/3.56" MSC76A: Φ82/3.23"	MC125D: Φ125/4.92" MC160D: Φ160/6.3" MC200D: Φ200/7.88" MSC42A: Φ48/1.89" MSC60A: Φ65/3.56" MSC76A: Φ82/3.23"	MC125D: Φ125/4.92" MC160D: Φ160/6.3" MC200D: Φ200/7.88" MSC42A: Φ48/1.89" MSC60A: Φ65/3.56" MSC76A: Φ82/3.23"
		(D600A-MTF-FSC)	(D600A-MTD-FSC)	(D600A-MTT-FSC)
		MC125D: Φ125/4.92" MC160D: Φ160/6.3" MSC42A: Φ48/1.89" MSC60A: Φ65/3.56" MSC76A: Φ82/3.23"	MC125D: Φ125/4.92" MC160D: Φ160/6.3" MSC42A: Φ48/1.89" MSC60A: Φ65/3.56" MSC76A: Φ82/3.23"	MC125D: Φ125/4.92" MC160D: Φ160/6.3" MSC42A: Φ48/1.89" MSC60A: Φ65/3.56" MSC76A: Φ82/3.23"

DIY COMBO		DIMENSION: [UNIT: MM]	
	MASTER UNIT		
	STANDARD MODEL		
	(MCA125MA)-(MTF)	(MCA125MA)-(MTD)	(MCA125MA)-(MTT)
	MC125MA:Φ125/4.92" MC160MA:Φ160/6.3" MC200MA:Φ200/7.88"	MC125MA:Φ125/4.92" MC160MA:Φ160/6.3" MC200MA:Φ200/7.88"	MC125MA:Φ125/4.92" MC160MA:Φ160/6.3" MC200MA:Φ200/7.88"
			
	MASTER UNIT		
	[MSFB00A-MTF]		
	[MSFB00A-MTD]	[MSFB00A-MTT]	
	MC125MB:Φ125/4.92" MC160MB:Φ160/6.3" MC200MB:Φ200/7.88"	MC125MB:Φ125/4.92" MC160MB:Φ160/6.3" MC200MB:Φ200/7.88"	MC125MB:Φ125/4.92" MC160MB:Φ160/6.3" MC200MB:Φ200/7.88"
			
MASTER UNIT			
[MD300A-MTF]	[MD300A-MTD]	[MD300A-MTT]	
[MD600A-MTF]	[MD600A-MTD]	[MD600A-MTT]	
[MD1200A-MTF]	[MD1200A-MTD]	[MD1200A-MTT]	
SUB UNIT			
STANDARD MODEL		[SSFB00A]	
MC125SA:Φ125/4.92" MC160SA:Φ160/6.3" MC200SA:Φ200/7.88"	MC125SB:Φ125/4.92" MC160SB:Φ160/6.3" MC200SB:Φ200/7.88"		
			
MASTER POLE		SUB POLE	
TC125MA:Φ125/4.92" TC160MA:Φ160/6.3" TC200MA:Φ200/7.88"	TC125MA:Φ125/4.92" TC160MA:Φ160/6.3" TC200MA:Φ200/7.88"	TC125MA:Φ125/4.92" TC160MA:Φ160/6.3" TC200MA:Φ200/7.88"	
			
EXPANSION BOLT CUSTOM ANCHOR 300/12"		ANCHOR 1000/40"	
Cords Above Ground ≥18"		Cords Above Ground ≥48"	