




LED Pizza Light

BRIGHTEN YOUR LIFE

NEW LED TECHNOLOGY THAT ALLOWS THE
COEXISTENCE OF ENVIRONMENTAL
PROTECTION AND ENERGY SAVING




Benefits

- 1.MH/HPS/HID/MHL/CFL lamp retrofit
- 2.Screw Base Direct Install by bypass ballast
- 3.100% Pure Aluminum Fins Heat Sink
- 4.Universal Base E26/E27/E39/E40
- 5.ETL CETL DLC CE ROHS listed





CIP-BB-YPD-XXX-A



Features

1. Beam angle: 120 degrees.
2. Aluminum fins heat sinks is good for heat dissipation.
3. It's major to replace the CFL/MH/HID/HPS.
4. Green, energy saving, long and reliable life of 50,000 hours.
5. No RF interference, No IR/UV radiation ,no mercury pollution.
6. Wide colour availability in degrees Kelvin(K),2700-6700K.
7. Streamline exterior design, beautiful appearance.
8. Environment friendly ,energy saving (70~80%).
9. Special circuit design, each LED work separately, avoiding the single broken LED influence problem.



Application

1. Area Lighting/Street Lighting.
2. Garage Lighting/Ceiling Lighting.
3. Warehouse Lighting.
4. High/Low Bay Lighting.




SPECIFICATIONS


Power	60W	80W	100W	120W	150W
Model	CIP-BB-YPD-022-A	CIP-BB-YPD-023-A	CIP-BB-YPD-024-A	CIP-BB-YPD-025-A	CIP-BB-YPD-026-A
Luminous Flux	7200lm	9600lm	12000lm	14400lm	18000lm
Replacement	HPS 175W	HPS 250W	HPS 300W	HPS 400W	HPS 600W
Poles	L: Long Pole S: Short Pole				
Voltage	LV:100-277VAC		HV:200-480VAC		
Frequency	50-60HZ				
Light Source	SMD LED				
Luminous Efficacy	>120lm/w				
Operation Temp.	-40 to +45℃				
CCT	2700K SW / 3000K WW / 4100K NW / 5000K DW / 5700K CW				
CRI	85				
Life Span	50,000 hours at 25℃				
Driver	UL listed power supply				
Dimming	NO				
Beam Angle	120°				
Lamp Base	E26/E27/E39/E40				
PF	>0.95				
Warranty	5Years				

DIMENSIONAL DRAWING



Dimensions with cover



60W/80W/100W




120W/150W



* The height of the cover is 30mm (1.18in).


* Dimensions without cover is 30mm less than the height above, the others are the same.

LUMINOUS INTENSITY DISTRIBUTION



PROJECTS

By using our 120W Pizza Light to replace 400W Metal Halide bulb for warehouse high bay lighting fixtures, the customer is now able to save a lot per month from his electric bill.



120W LED = 400W MH




Note:

- Don't take the LED lamp apart.
- The LED lamp must work under the right voltage according to the specification.
- Must remove the Ballast, Capacitor, Ignitor before installing our LED Light.


INSTALLATION

Normally. The traditional lamp has the ballast or capacitor or ignitor, like HPS,MH.


Replace E40/E27 CFL



Replace HPS/MH



E27/E40 Pizza Light has two kinds of installation:



PACKING INFO



Packaging	Carton Size(mm) (L*W*H)	N.W	G.W	Volume weight
I) 2pcs/CTN	510*365*365mm	5.0kg	6.5kg	17.5kg
II) 3pcs/CTN	510*365*365mm	10.0kg	12.0kg	17.5kg
II) 4pcs/CTN	510*365*365mm	10.0kg	12.0kg	17.5kg

I ---Complete packing

II ---Packing with long stem off(120W-150W,without cover)&(all with cover)

III---Packing with long stem off(60W-100W,without cover)