

TP421 | ROUND POST TOP LIGHT

30W / 50W / 60W / 80W / 100W / 150W / Power Switch



Specifications

Example part number; CIP-TP421-W100-3000K-Black (options)

Wattage	(W60) 40W/50W/60W, (W100) 60W/80W/100W, (W150) 120W/135W/150W, Power Switch
LED Chips	SMD 2835, Samsung or Other LED Chips
Driver Brand	Meanwell / SOSEN/ ZHIHE or Other Brand
Material	Aluminum alloy+PC lens
Color Temp	3000K (Warm white) / 4000K (Natural white) / 5000K (Daylight) / 3CCT Switch
Lumen	130-140LM/W (Higher LM/W can be provided)
AC Input Voltage	AC120-277V/AC120-347V/AC180-480V Available
Mounting Methods	3" Round Pole (Normal); 2 3/8" Adapter (Available)
Exclusive Feature (1)	Motion Sensor/ Photocell Sensor/WIFI Camera Optional
Exclusive Feature (2)	3CCT/Power Switch Available
Exclusive Feature (3)	Bracket turnable to save package volume
Ambient Temperature	-40°C to +45°C(-40°F to +113°F)
Total Harmonic Distortion (THD)	< 15%
Housing	Bronze/Black or other customs color
Lifetime	50,000H
Warranty	5 years

Features




CCT Select



Power Select





Motion sensor



Photocell sensor

Exclusive Feature (Bracket Tunable)




Bracket turnable to save size/package volume





Extra Functions Available



CCT & Power Selectable



Light Distribution



Applications



Parking Area



Walkway




Community




Plaza

Installation

3" Round Pole Installation




Dimension




Packaging information

Square Carton



Wattage	Product Size(mm/in)	Package Size(mm/in)	N.W (Kg/lb)	G.W (Kg/lb)	QTY
30W	457 x 457 x 444 mm 17.99 x 17.99 x 17.48 in	485 x 485 x 585 mm 19.09 x 19.09 x 23.03 in	7Kg(15.43lb)	8.5 Kg(18.74lb)	1 PCS
50W	457 x 457 x 444 mm 17.99 x 17.99 x 17.48 in	485 x 485 x 585 mm 19.09 x 19.09 x 23.03 in	7Kg(15.43lb)	8.5 Kg(18.74lb)	1 PCS
60W	457 x 457 x 444 mm 17.99 x 17.99 x 17.48 in	485 x 485 x 585 mm 19.09 x 19.09 x 23.03 in	7Kg(15.43lb)	8.5 Kg(18.74lb)	1 PCS
80W	457 x 457 x 444 mm 17.99 x 17.99 x 17.48 in	485 x 485 x 585 mm 19.09 x 19.09 x 23.03 in	7Kg(15.43lb)	8.5 Kg(18.74lb)	1 PCS
100W	457 x 457 x 444 mm 17.99 x 17.99 x 17.48 in	485 x 485 x 585 mm 19.09 x 19.09 x 23.03 in	7Kg(15.43lb)	8.5 Kg(18.74lb)	1 PCS
150W	457 x 457 x 444 mm 17.99 x 17.99 x 17.48 in	485 x 485 x 585 mm 19.09 x 19.09 x 23.03 in	7Kg(15.43lb)	8.5 Kg(18.74lb)	1 PCS

Flat Carton



Wattage	Product Size(mm/in)	Package Size(mm/in)	N.W (Kg/lb)	G.W (Kg/lb)	QTY
30W	421 x 421 x 433mm 16.58 x 16.58 x 17.05 in	615 x 475 x 160mm 24.21 x 18.70 x 6.30 in	6.30Kg(13.89lb)	7.30kg(16.10lb)	1 PCS
50W	421 x 421 x 433mm 16.58 x 16.58 x 17.05 in	615 x 475 x 160mm 24.21 x 18.70 x 6.30 in	6.30Kg(13.89lb)	7.30kg(16.10lb)	1 PCS
60W	421 x 421 x 433mm 16.58 x 16.58 x 17.05 in	615 x 475 x 160mm 24.21 x 18.70 x 6.30 in	6.30Kg(13.89lb)	7.30kg(16.10lb)	1 PCS
80W	421 x 421 x 433mm 16.58 x 16.58 x 17.05 in	615 x 475 x 160mm 24.21 x 18.70 x 6.30 in	6.70Kg(14.77lb)	7.70kg(17.00lb)	1 PCS
100W	421 x 421 x 433mm 16.58 x 16.58 x 17.05 in	615 x 475 x 160mm 24.21 x 18.70 x 6.30 in	6.70Kg(14.77lb)	7.70kg(17.00lb)	1 PCS
150W	421 x 421 x 433mm 16.58 x 16.58 x 17.05 in	615 x 475 x 160mm 24.21 x 18.70 x 6.30 in	6.70Kg(14.77lb)	7.70kg(17.00lb)	1 PCS



CIP Lighting
 803-766-0243
info@ciplighting.com
www.ciplighting.com